


# S.W.A. SUCCULENTS NURSERIES

WILHELM TRIEBNER, WINDHOEK, S.W.A.

Phone 830 :: Cable and Telegrams: Triebner, Windhoek



## 1939 new Haworthias.

### SPECIAL-LIST NO. 90

	PLANTS		SEEDS		
	1	12	25	100	1000
<b>HAWORTHIA:</b>					
agavoides Zantn. et v. P.	Sh.	7/6			
badia v. P.	5/-	55/-	5/-	18/-	120/-
Bolusii var. semiviva v. P.	3/-	30/-	3/-	10/-	76/-
Browniana v. P.	3/-	30/-	3/-	10/-	
caespitosa forma typica v. P.	1/6	15/-	1/-	3/-	
" " subplana v. P.	2/-	20/-	2/-	6/-	
" " subproliferans v. P.	2/-	20/-	2/-	6/-	
gracilis var. Kingii v. P.	5/-		5/-		
habdomadis v. P.	7/6				
Isabellae v. P.	5/-	55/-	5/-	18/-	
mutabilis v. P.	5/-	55/-	5/-	18/-	
notabilis v. P.	5/-	55/-	5/-	18/-	
perplexa v. P.	3/-	30/-	3/-	10/-	
picta v. P.	5/-	55/-	5/-	18/-	
reticulata var. acuminata v. P.	3/-	30/-	3/-	10/-	
Rossouwii v. P.	5/-		5/-		
Ryneveldii v. P.	5/-	55/-			
Schmidtiana var. pusilla v. P.	3/-	30/-			
" " elongata v. P.	3/-	30/-	5/-	18/-	
" " diversifolia forma nana v. P.	4/-	45/-			
Smitii v. P.	7/6				
Stieniei v. P.					
truncata forma normalis v. P.	5/-	55/-	5/-	18/-	
" " crassa v. P.	5/-	55/-	5/-	18/-	
" " tenuis v. P.	5/-	55/-	5/-	18/-	
tuberculata var. acuminata v. P.	3/-	30/-			
" " subexpensa v. P.	5/-		5/-	18/-	
" " sublaevis v. P.	5/-		5/-	18/-	
turgida var. suberecta v. P.	2/6	25/-	3/-	10/-	
" " subtuberculata v. P.	3/-	30/-	3/-	10/-	
viscosa var. caespitosa v. P.	3/-	30/-			
" " subobtusa v. P.	4/-	45/-			

	PLANTS		SEEDS		
	1	12	25	100	1000

Renamed and classified:

## HAWORTHIA:

<i>attenunata</i> var. <i>Britteniana</i> v. P. (Haw. <i>Britteniana</i> v. P.)	3/-	30/-	3/-	10/-	
<i>bilineata</i> var. <i>affinis</i> (Bak.) v. P. (Haw. <i>affinis</i> Bak.)	7/6				
<i>bilineata</i> var. <i>gracilidelineata</i> v. P. (Haw. <i>gracilidelineata</i> v. P.)	4/-	45/-			
<i>correcta</i> v. P. (Blackburniana v. P.)	7/6				
<i>minima</i> var. <i>confusa</i> v. P. (Haw. <i>confusa</i> v. P.)	3/-	30/-	3/-	10/-	
<i>minima</i> var. <i>major</i> v. P. (Haw. <i>tenera</i> var. <i>major</i> v. P.)	3/-	30/-	3/-	10/-	
<i>pallida</i> var. <i>Payneii</i> v. P. (Haw. <i>Payneii</i> v. P.)	3/-	30/-	2/6	8/-	
<i>pilifera</i> var. <i>columnaris</i> (Bak.) v. P. (Haw. <i>columnaris</i> Bak.)	2/6	25/-	2/6	8/-	
<i>pilifera</i> var. <i>Dielsiana</i> v. P. (Haw. <i>Dielsiana</i> v. P.)	2/6	25/-	2/6	8/-	60/-
<i>pilifera</i> var. <i>Gordoniana</i> v. P. (Haw. <i>Gordoniana</i> v. P.)	5/-	55/-	5/-	18/-	
<i>pilifera</i> var. <i>salina</i> v. P. (Haw. <i>Stayneri</i> var. <i>salina</i> v. P.)	4/-	42/-	5/-	18/-	
<i>pilifera</i> var. <i>Stayneri</i> v. P. (Haw. <i>Stayneri</i> v. P.)	4/-	42/-	5/-	18/-	
<i>setata</i> var. <i>Bijliana</i> v. P. (Haw. <i>Bijliana</i> v. P.)	3/-	30/-	3/-	10/-	
<i>setata</i> subvar. <i>Joubertii</i> v. P. (Haw. <i>Bijliana</i> var. <i>Joubertii</i> v. P.)	3/-	30/-	3/-	10/-	60/-
<i>setata</i> var. <i>gigas</i> v. P. (Haw. <i>gigas</i> v. P.)	4/-	45/-	3/-	10/-	60/-
<i>setata</i> var. <i>xiphiophylla</i> (Bak.) v. P. (Haw. <i>xiphiophylla</i> Bak.)	2/6	25/-	3/-	10/-	60/-
<i>subfasciata</i> var. <i>Kingiana</i> v. P. (Haw. <i>Kingiana</i> v. P.)	4/-	40/-	3/-	10/-	
<i>tesselata</i> var. <i>Engleri</i> (Dtr.) v. P. (Haw. <i>Engleri</i> Dtr.)	1/-	10/-	1/-	3/-	15/-
<i>umbraticola</i> var. <i>Hilliana</i> v. P. (Haw. <i>Hilliana</i> v. P.)	5/-	55/-	5/-	18/-	

Older, rare species:

## HAWORTHIA:

<i>rugosa</i> var. <i>perviridis</i> (Salm) Brgr.	5/-	55/-			
<i>translucens</i> Haw.	5/-	55/-			
„ var. <i>delicatula</i> (Brgr.) v. P.	5/-	55/-			
<i>vittata</i> Bak.	4/-				

Nomenclature after Dr. K. von Poellnitz, Oberloedla, Germany.



**New, renamed and classified species, varieties and forms of *Haworthia*  
altilinea, cymbiformis, planifolia and Triebneriana.**

	PLANTS		SEEDS		
	1	12	25	100	1000
<b>HAWORTHIA:</b>					
altilinea Haw. var. typica v. P.	2/-	20/-	2/-	6/-	35/-
„ var. bicarinata Tr.	4/-	40/-	2/-	6/-	
„ „ denticulata (Haw.) v. P.	2/6	25/-	2/-	6/-	
„ „ limpida (Haw.) forma typica v. P.	3/-	30/-	2/-	6/-	
„ „ „ forma acuminata v. P.	3/-	30/-	2/-	6/-	35/-
„ „ „ „ inconfluens v. P.	3/-	30/-	2/-	6/-	
„ „ „ „ inermis v. P.	3/-	30/-	2/-	6/-	
„ „ Morrisiae v. P.	4/-	45/-	2/-	6/-	40/-
„ „ „ forma subglauca v. P.	4/-	45/-	2/-	6/-	40/-
„ „ mucronata v. P.	3/-	30/-	2/-	6/-	
„ „ setuifera Tr.	4/-	40/-	2/-	6/-	
„ „ polyphylla (Bak.) v. P.	4/-	45/-	3/-		
„ „ „ forma minor Tr.	4/-	40/-	2/-	6/-	
cymbiformis Haw. var. typica Tr. et v. P.	2/6	25/-	1/-	3/-	25/-
„ var. obtusa (Haw.) Bak.	3/-	30/-	1/6	5/-	
„ „ angustata v. P.	3/-	30/-	1/6	5/-	
„ „ „ forma subarmata v. P.	3/-	30/-	1/6	5/-	
„ „ brevifolia Tr. et v. P.	3/-	30/-	1/6	5/-	
„ „ compacta Tr.	3/-	30/-	1/6	5/-	
„ „ multifolia Tr.	3/-	30/-	1/6	5/-	
„ „ obesa v. P.	3/-	30/-	1/6	5/-	
„ „ translucens Tr. et v. P.	5/-				
planifolia (Haw.) var. typica Tr. et v. P.	1/-	10/-	1/-	3/-	20/-
„ var. typica forma alta Tr. et v. P.	1/-	10/-	1/-	3/-	20/-
„ „ „ „ agavoides Tr. et v. P.	3/-	30/-	1/6	5/-	
„ „ „ „ olivacea Tr. et v. P.	3/-	30/-	1/6	5/-	
„ „ „ „ robusta Tr. et v. P.	3/-	30/-	1/6	5/-	
„ „ exulata v. P.	4/-	42/-	2/-	6/-	
„ „ incrassata v. P.	4/-	42/-	2/-	6/-	
„ „ longifolia Tr. et v. P.	2/-	20/-	1/-	3/-	20/-
„ „ „ forma calochlora Tr. et v. P.	5/-	55/-	2/-	6/-	
„ „ setulifera v. P.	4/-	42/-	3/-	10/-	
„ „ sublaevis v. P.	4/-	42/-	3/-	10/-	
„ „ transiens v. P.	5/-	55/-	3/-	10/-	
Triebneriana v. P.	5/-	55/-	5/-	18/-	
„ var. depauperata v. P.	3/-	30/-	4/-	14/-	
„ „ diversicolor Tr. et v. P.	5/-	55/-	5/-	18/-	
„ „ lanceolata Tr.	5/-	55/-	5/-	17/-	
„ „ multituberculata v. P.	5/-	55/-	3/-	10/-	
„ „ napierensis Tr. et v. P.	5/-	55/-	5/-	18/-	
„ „ rubradentata Tr.	5/-	55/-	5/-	18/-	
„ „ sublineata v. P.	5/-	55/-	3/-	10/-	
„ „ subtuberculata v. P.	5/-	55/-	5/-	18/-	
„ „ turgida Tr.	5/-	55/-	5/-		

Terms: Cash with order or bank accreditive by:

Barclays Bank, Windhoek, S. W. A.

All prices in S. A. Currency.

## NEW BOOKS.

**SCOTT E. HASELTON: "Cacti for the Amateur".** A complete guide in the interest of Cactus Collectors. 150 Illustrations, 110 Cacti in Colour. 180 Pages.

- Contents:
1. The Allure of Cacti.
  2. Who collects Cacti und Why.
  3. Building and Collection.
  4. Cataloguing and Labeling.
  5. General Culture.
  6. Potting.
  7. Growing Cacti indoors.
  8. Cultivation outdoors.
  9. Cactus Pest Control.
  10. Propagation.
  11. The Cactus Family.
  12. Summary.

Price: Sh. 4/-. Real worthy: Sh. 20/-. — **Just the book, you want.**

**H. JACOBSEN: "The Cultivation of succulent Plants".** A new book for the collector, amateur and any other friend of succulent plants, **other than Cacti.**

The wellknown author of the book "Succulent Plants" which cultivated one of the largest collection of succulent plants on the Botany Garden at Kiel, Germany, published in his new book valuable informations of the cultivation of succulent plants, including raising plants from seeds.

**The book for the Amateur.** Price Sh. 5/- plus postage. Available from March off.

In Vorbereitung:

**H. JACOBSEN: „Die Kultur der Succulenten“.** Deutsche Ausgabe. Verlag Paul Parey, Berlin. Erweiterte und ergänzte Ausgabe der englischen Auflage. Erscheint voraussichtlich im März.

**H. JACOBSEN: „Verzeichnis der Arten der Gattung Mesembryanthemum L.“** nebst deren abgetrennten Gattungen. (Index speciorum generis Mesembryanthemi cum separatis Generibus. A important work of the genus Mesembryanthemum L. (198 Pages.)

The very valuable book for any Botanist, Botany Garden, Collector and Amateur, the onliest work, with a complete list of correct names, renamings, synonyms and locations from any species of this large genus.

**Price: Sh. 35/- postage free.** (In German and Latin language.)